

**Amendments to the Claims:**

The listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

Claims 1-6 canceled

7. (new) A wireless data communication system, comprising:
- a) one or more slave devices, wherein at least one slave device comprises a remote telemetry unit (RTU);
  - b) a master host computer for directing wireless data messages, performing remote control of said RTU's and archiving or logging of measurement data and event logging of alarm messages of said RTU's, wherein each wireless data messages transmitted from said master host computer to said slave devices is transmitted to multiple slave devices;
  - c) a data radio communication network connecting said master host computer and said one or more slave devices, wherein each slave device has a unique address in the network;
  - d) one or more slave host computers able to perform remote control of said RTU's and logging of measurement data as well as event logging of alarm messages of said RTU's; and
  - e) a dial-in phone modem or cellular modem connecting said one or more slave host computers to said data radio communication network, wherein said wireless data messages contain a destination address corresponding to the unique network address of the slave device that the data message is intended for, wherein each slave device is able to compare its unique network address with the destination address contained in the wireless data message.

8. (new) The wireless data communication system as claimed in claim 7 wherein said measurements comprise pressure and flow volume measurements of gas or oil wells.
9. (new) The wireless data communication system as claimed in claim 7 wherein said remote control of the RTU's comprises incrementally opening and closing valves in gas or oil wells.
10. (new) The wireless data communication system as claimed in claim 7 wherein said master host computer comprises a spread spectrum or licensed frequency data radio.
11. (new) The wireless data communication system as claimed in claim 7 wherein said data radio communication network comprises:
  - a) a spread spectrum or licensed frequency data radio;
  - b) one or more slave radios connected to said RTU's, slave host computers, and dial-in phone modem or cellular modem;
  - c) a master radio connected to the master host computer able to send and receive transmissions from the one or more slave radios to allow connectivity between said master host computer and said slave radios; and
  - d) one or more repeater radios.
12. (new) The wireless data communication system as claimed in claim 7 wherein said one or more slave host computers comprise a spread spectrum or licensed frequency data radio.
13. (new) A method of allowing multiple slave host computers to communicate on a wireless data communication system, said communication system comprising a master host computer for directing wireless data messages, one or more remote telemetry units(RTU's), a data radio communication network connecting said

master host computer and said one or more RTU's, wherein each RTU has a unique address in the network; one or more slave host computers connected to the data radio communication network and able to perform remote control of said RTU's and data archiving or logging of measurement data and event logging of alarm messages of said RTU's; and one or more slave radios connected to said RTU's, said method comprising the steps of:

a) linking a master host computer to the data radio communication network, wherein the master host computer directs data messages on the network;

b) assigning to each data message a destination address corresponding to the master host computer, slave host computer, or RTU that the data message is intended for;

c) receiving data messages at the master host computer from any slave host computer;

d) transmitting data messages received by the master host computer intended for one or more of the RTU's to multiple slave radios;

e) transmitting data messages received by the slave radios from the master host computer to the RTU's;

f) comparing at each RTU the destination address of the data messages received from the one or more slave radios with the unique network address of the RTU.

14. (new) The method of claim 13 further comprising the steps of:

a) transmitting a second data message from one of the RTU's to the master host computer through one or more of the slave radios, wherein the second data message has a second destination address;

b) determining if the second destination address corresponds to the master host computer; and

c) transmitting the second data to multiple slave host computers when the second destination address does not correspond to the master host computer.

15. (new) The method of claim 13 further comprising allowing one or more slave host computers to be installed in a mobile vehicle to allow an operator to access trending measurement data, event log of alarm messages and provide control of one or more RTU's from remote locations.